



CHAMÄLEON GMBH / RUDOLF-DIESEL-STRASSE 8A / 69115 HEIDELBERG / GERMANY

CHAMÄLEON GMBH
RUDOLF-DIESEL-STRASSE 8A
69115 HEIDELBERG
GERMANY

FON 0049 (0) 6221 - 520 440
FAX 0049 (0) 6221 - 520 449
MAIL INFO@CHAMAELEON-PRODUKTION.DE
WEB WWW.CHAMAELEON-PRODUKTION.DE

SAFETY DATA SHEET
according to 1907/2006/EC, Article 31

1- IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

Product details

Trade name: Masking tape 60°, Masking tape 90°, Premium water/UV proof tape 110°

Article number: 48112, 48122, 48142, 48152, 48212, 48222, 48242, 48252, 48261, 48263

Intended use: masking the car when painting

Manufacturer/Supplier: Chamäleon GmbH

Rudolf-Diesel-Straße, 8a, 69115 Heidelberg -- Germany

Further information obtainable from: Product Safety Department

Information in case of emergency: +49 70024112112 (CH)

2 – COMPOSITION/INFORMATION ON INGREDIENTS

Support: Crepe Paper

Adhesive: Natural rubber, hydrocarbon resins, hexane.

3 – HAZARDS IDENTIFICATION

Specific Physical Form: Roll of Tape

Odor, Color, Grade: Natural colored paper tape

General Physical Form: Solid

Immediate health, physical, and environmental hazards: The environmental properties of this product present a low environmental hazard. This product, when used under reasonable conditions, should not present a health hazard. However, use or processing of the product in a manner not in accordance with the product's directions for use may affect the performance of the product and may present potential health and safety hazards.

Potential health effects

Eye Contact:

No health effects are expected.

Skin Contact:

No health effects are expected.

Inhalation:

No health effects are expected.

Ingestion:

No health effects are expected.



CHAMÁLEON GMBH / RUDOLF-DIESEL-STRASSE 8A / 69115 HEIDELBERG / GERMANY

CHAMÁLEON GMBH
RUDOLF-DIESEL-STRASSE 8A
69115 HEIDELBERG
GERMANY

FON 0049 (0) 6221 - 520 440
FAX 0049 (0) 6221 - 520 449
MAIL INFO@CHAMAELEON-PRODUKTION.DE
WEB WWW.CHAMAELEON-PRODUKTION.DE

4 – FIRST - AID MEASURE

The following first aid recommendations are based on an assumption that appropriate personal and industrial hygiene practices are followed.

Eye Contact: No need for first aid is anticipated.

Skin Contact: No need for first aid is anticipated.

Inhalation: No need for first aid is anticipated.

If Swallowed: No need for first aid is anticipated.

5 – FIRE - FIGHTING MEASURE

Flammable properties

Autoignition temperature: Not Applicable

Flash Point: Not Applicable

Flammable Limits – LEL: Not Applicable

Flammable Limits – UEL: Not Applicable

Extinguishing media

Use fire extinguishers with class B extinguishing agents (e.g., dry chemical, carbon dioxide).

6 – ACCIDENTAL RELEASE MEASURE

Not applicable

7 – HANDLING AND STORAGE

This product is considered to be an article which does not release or otherwise result in exposure to a hazardous chemical under normal use conditions.

8 – EXPOSURE CONTROLS / PERSONAL PROTECTION

Avoid eye contact.

Avoid prolonged or repeated skin contact. Gloves are not required.

Under normal use conditions, airborne exposures are not expected to be significant enough to require respiratory protection.

Do not ingest.

9 – PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties	
General Information	
Appearance:	
Specific Physical Form:	<i>Roll of Tape</i>
General Physical Form:	<i>Solid</i>
Autoignition temperature:	<i>Not Applicable</i>
Flash Point:	<i>Not Applicable</i>
Flammable Limits – LEL:	<i>Not Applicable</i>
Flammable Limits – UEL:	<i>Not Applicable</i>
pH	<i>Not Applicable</i>
Solubility in Water:	<i>Nil</i>
Evaporation rate:	<i>Not Applicable</i>
Boiling point:	<i>Not Applicable</i>
Melting point:	<i>Not Applicable</i>
Density:	<i>Not Applicable</i>
Vapor Density:	<i>Not Applicable</i>
Vapor Pressure:	<i>Not Applicable</i>
Viscosity:	<i>Not Applicable</i>
Specific gravity	<i>Not Applicable</i>
Volatile Organic Compounds	<i>Not Applicable</i>
Percent volatile:	<i>Not Applicable</i>
VOC Less H2O & Exempt Solvents	<i>Not Applicable</i>

10 – STABILITY AND REACTIVITY

Stability: chemically stable;

Dangerous polymerization: none;

Materials to avoid: none;

Dangerous combustion products: CO, CO₂;

Dangerous degradation products: Under recommended usage conditions, hazardous decomposition products are not expected. Hazardous decomposition products may occur as a result of oxidation, heating, or reaction with another material.

11 – TOXICOLOGICAL INFORMATION

Limit dose: 4000-mg/kg body weight - toxic if ingested over this value.



CHAM'ALEON GMBH / RUDOLF-DIESEL-STRASSE 8A / 69115 HEIDELBERG / GERMANY

CHAM'ALEON GMBH
RUDOLF-DIESEL-STRASSE 8A
69115 HEIDELBERG
GERMANY

FON 0049 (0) 6221 - 520 440
FAX 0049 (0) 6221 - 520 449
MAIL INFO@CHAMAELEON-PRODUKTION.DE
WEB WWW.CHAMAELEON-PRODUKTION.DE

12 – ECOLOGICAL INFORMATION

The product is not degradable.

13 – DISPOSAL CONSIDERATION

Waste Disposal Method: Reclaim if feasible. If product can't be reclaimed, dispose of waste product in a sanitary landfill. Alternatively, incinerate the waste product in an incinerator.

14 – TRANSPORT INFORMATION

Transport and storage: trucks, wagons, containers.

Transport & storage temperature: room temperature

Electrostatic discharge risks: avoid electrostatic discharge.

Proper: Carton boxes, plastic film.

15 – REGULATORY INFORMATION

The commodity can be discharged according with the local normative laws.

These notes are referred to the supplied commodity. When it is used together with other products, it should be indicated another way of discharge.

16-OTHER INFORMATION

The information contained in these sheets is based on the present state of knowledge and current national legislation. It provides guidance on health, safety and environmental aspects and should not be construed as any guarantee of technical performance or suitability for particular applications.